








30. A composition according to Claim 1, wherein said polysiloxane-containing C monomer has a formula selected from the following group:




or




or



wherein s is an integer from 0 to about 6; m is an integer from 1 to 3; p is 0 or 1; q is an integer from 2 to 6; n is an integer from 0 to 4; R¹ is hydrogen, hydroxyl, lower alkyl, alkoxy, alkylamino, aryl, or alkaryl; R² is C₁-C₁₀ alkyl or C₇-C₁₀ alkylaryl; R'' is alkyl or hydrogen; X is



wherein R^3 is hydrogen or $-\text{COOH}$; R^4 is hydrogen, methyl or $-\text{CH}_2\text{COOH}$; Z is



R^5 , R^6 , and R^7 , independently are lower alkyl, alkoxy, alkylamino, aryl, alkaryl, hydrogen or hydroxyl; and r is an integer of from about 5 to about 700.

31. A composition according to Claim 1, wherein the polymer is present in an amount of from 0.05% to about 5.0% by weight of the composition.
32. A composition according to Claim 1, wherein the solubilising agent is a nonionic surfactant.
33. A composition according to Claim 32, wherein the solubilising agent is a branched nonionic surfactant.
34. A composition according to Claim 1, wherein said solubilising agent is an anionic surfactant.
35. A composition according to Claim 34, wherein said solubilising agent is an alkylsulphosuccinate surfactant.
36. A composition according to Claim 1, wherein the solubilising agent is present in an amount of from 20 to 500% by weight of the polymer concentration.
37. A composition according to Claim 1, wherein the solubilising agent is present in an amount of from 0.1 to less than 5% by weight of the composition.
38. A composition according to Claim 1, wherein the water of the liquid aqueous carrier comprises from 50% to 95%, by weight of the composition.
39. A composition according to Claim 1, wherein the composition further comprises a nonionic polyhydric alcohol humectant.

40. A composition according to Claim 39, wherein the nonionic humectant is present in amount of from 0.01% to about 10%, by weight of the composition.

41. A composition according to Claim 1, wherein said composition further comprises a lubricant selected from a water-insoluble cationic softener, nonionic softener selected from cyclomethicones, fatty acid esters of mono- or polyhydric alcohols or anhydride thereof containing from 1 to 8 carbon atoms, and mixtures thereof.

42. A composition according to Claim 1, wherein said composition further comprises an uncomplexed cyclodextrin.

43. A composition according to Claim 1, wherein the pH of said composition is from about 7 to about 12.

44. A composition according to Claim 1, wherein said composition has a fluid surface tension of from about 20 dynes/cm to about 55 dynes/cm.

45. A composition according to Claim 1, wherein said composition has a fluid viscosity of from about 1 cps to about 50 cps.

46. A method for reducing or removing wrinkles on fabrics which comprises the steps of contacting the fabrics with a composition as defined in Claim 1.

47. A process for solubilising or dispersing a polymer as defined in Claim 1 by means of a solubilising agent selected from water-soluble surfactants and mixtures thereof.

48. A method for reducing or removing wrinkles on fabrics and malodours on fabrics which comprises the steps of contacting the fabrics with a composition as defined in Claim 45.

49. A method according to Claim 46, wherein the composition is contacted with the fabrics by means of a spray dispenser.

50. A method according to Claim 46, wherein the fabrics are placed into a dewrinkling apparatus.

51. A method according to Claim 50, wherein the apparatus comprises spraying means capable of providing droplets with a mean diameter of 3 to 50 μm .


52. A packaged composition comprising the composition of Claim 1, in a spray dispenser.

53. A packaged composition and method according to Claim 1, wherein said spray dispenser comprises a trigger spray device and is capable of providing droplets with a weight average diameter of from 8 to 100 μm .

The support for these amendments is found in the claims as originally filed. These amendments are being entered to bring the claims into conformance with, *inter alia*, 37 CFR §1.75; no new matter is added.

Respectfully submitted for Applicants,

By:


T. David Reed
Agent for Applicants
Registration No. 32,931

29 January 2001
5299 Spring Grove Avenue
Cincinnati, Ohio 45217-1087
Phone: (513) 627-7025
FAX: (513) 627-6333